



8th October 2021

List of available machines

NONFOOD applications

- **Modifications for new application are possible.**
- **According to agreement with buyer are possible other mechanical and electrical repairs, extra modifications or change of specific components and aggregates.**
- **Intermediate sale reserved, availability on request:**
 - Ing. Jiří Burda Tel. +420 724 970 668 (communication in Czech, German)
 - Bc. Roman Havlík Tel. +420 602 729 412 (communication in Czech, English)



NERKON s.r.o. Tel.: +420 724 970 668
Pompova 602/4 Fel: +420 602 729 412
617 00 Brno E-mail: info@nerkon.cz
IČ: 277 17 135 Web: www.nerkon.cz

Bank account:
Česká spořitelna
CZK- account: 2058756379/0800
EUR- account: 1673950283/0800



Nr. 1:

KLT boxes washing in combination with blisters and lids

Suitable for use in logistic at automotive or pharma and retail

1 pc Continuous spraying cleaning machine PRG 501- 600

- **1 track design with side adjustable conduits**
- Passage height 1 x 600 mm
- Passage width adjustable 50 – 400 mm
- Suitable for washing of KLT crates positioned with bottom to side and blisters and lids standing
- Capacity 300 pcs of KLT 600x400x170 mm/ hour or higher depending on drying requirement
- Adjustable speed
- 2 tanks system without inter-blowing and with final drying
- All modules excluding washing with thermal isolation including tanks
- Machine length 11.030 mm
- Testing machine available on stock available on testing hall within 2- 4 weeks




Nr. 2:

KLT boxes washing in combination with blisters and lids

Suitable for use in logistic at automotive or pharma and retail

1 pc Continuous spraying cleaning machine PRG 501- 600

- **1 track design with side adjustable conduits**
- Passage height 1 x 600 mm
- Passage width adjustable 50 – 400 mm
- Suitable for washing of KLT crates positioned with bottom to side and blisters and lids standing
- Capacity 500 pcs of KLT 600x400x170 mm/ hour or higher depending on drying requirement
- Adjustable speed
- 1 tank system with final drying
- All modules excluding washing with thermal isolation including tanks
- Machine length 11.950 mm
- Machine is after overhauling available on testing hall within 2- 4 weeks




Nr. 3:

KLT boxes washing in combination with blisters, lids and pallets

Suitable for use in logistic at automotive or pharma and retail

1 pc Continuous spraying cleaning machine PRG 501- 1000

- **1 track design with side adjustable conduits**
- Passage height 1 x 1000 mm
- Passage width adjustable 50 – 400 mm
- Suitable for washing of KLT crates positioned with bottom to side and blisters and lids standing
- Capacity 300 pcs of KLT 600x400x170 mm/ hour or higher depending on drying requirement
- Adjustable speed
- 2 tanks system with inter-blowing and final drying
- All modules with thermal isolation including tanks
- Machine length 18.480 mm
- Machine in operation in Czechia before overhauling



Nr. 4:


Parts washing and degreasing

Machine available for testing in our testing area

Suitable for use behind stamping, deburring or machining process

1 pc Continuous spraying cleaning machine PROGRESS 401

- **1 track design currently with 2 chains and fixed parts holders**
- Suitable for washing of parts with manual or automated loading/ unloading
- Capacity ca 200 pcs / hour at speed 0,5 m/ min
- Adjustable speed
- 2 tanks system with inter-blowing and final drying
- A separate cooling tunnel behind washer is available
- Machine is after overhauling





Nr. 5:

KLT crates and boxes washing

Suitable for use in logistic at automotive or pharma and retail

1 pc Continuous spraying cleaning machine NER 301

- **1 track design with side adjustable conduits**
- Passage height 300 mm
- Passage width adjustable 400 and 600 mm
- Suitable for washing of KLT crates and boxes positioned with bottom up lengthwise
- Capacity 300 pcs of KLT 600x400x300 mm/ hour or higher depending on drying requirement
- Adjustable speed
- 2 tanks system without inter-blowing and final drying
- All drying modules with thermal isolation
- Machine length 11,0 mm
- Testing machine currently in warehouse available on testing hall within 2- 4 weeks